NASA-CR-195185

#### NASA CONTRACTOR REPORT

1N-76-CR 207523 14P

# SIMULATION STUDIES FOR SURFACES AND MATERIALS STRENGTH

Timur Halicioglu Grant D. Smith

Eloret Institute 3788 Fabian Way Palo Alto, CA 94303

> (NASA-CR-195185) SIMULATION STUDIES FOR SURFACES AND MATERIALS STRENGTH Final Technical Report, 1 May 1984 - 31 Jan. 1994 (Eloret Corp.) 14 p

N94-25093

Unclas

G3/76 0207523

Prepared for

Ames Research Center under Cooperative Agreement NCC2-297



Ames Research Center Moffett Field, California 94035

### NASA CONTRACTOR REPORT

# SIMULATION STUDIES FOR SURFACES AND MATERIALS STRENGTH

Timur Halicioglu Grant D. Smith

CONTRACT NAS2-



	,				
1. Report No.	2. Government Access	sion No.	3. Recipient's Catalog	į No.	
4. Title and Subtitle Simulation Studies for Surfaces			5. Report Date 7 March 1994		
and Materials Streng		6. Performing Organization Code			
7. Author(s) Timur Halicioglu Grant D. Smith			8. Performing Organization Report No.		
9. Performing Organization Name and Address			10. Work Unit No.		
Eloret Insti- 3788 Fabian V Palo Alto, CA		11. Contract or Grant No. NCC2-297  13. Type of Report and Period Covered			
12. Sponsoring Agency Name and Address			5/1/84 to $1/31/94$		
National Aeronautics and Space Administration, Washington, D.C. 20456			14. Sponsoring Agency		
Point of Contact: Dr. Timur Halicioglu c/o 230-3, NASA Ames Research Center, Moffett Field, CA 94035					
16. Abstract					
In this project computer simulation studies have been conducted to investigate materials properties. All the calculations have been carried out using atomic level simulation techniques which are based on semiempirical or model functions. During this project, functions with varying degrees of complexity have been derived and employed in simulations. Investigations include covalently bonded materials as well as systems involving metal atoms.  For small clusters calculated results provided information on various energy- and structure-related properties along with vibrational characteristics. Also, energy barriers for configurational transitions have been calculated for selected cases. Simulation calculations for surfaces produced new results in areas related to surface energies, reconstructions and relaxations, surface defects, surface stresses as well as adsorption and nucleation processes. Simulations have also been performed on bulk materials. Calculated results provided an atomic level understanding on energetics and structures of point defects, crystal stability, elastic properties and materials strength for various systems. Calculations involving polymeric materials include studies of polar polymer melts and polymer/solid interfaces. Simulations employing specially developed codes provided significant information about energetics and conformational characteristics of different polymeric chains.  STAR-Category C-23, H-72					
17. Key Words (Suggested by Author(s))	18. Distribution Statement				
Simulation Studies Surface Structures Small Clusters Electronic Structure	Calculation	Unclassifie	lassified		
			21 No -4 D	22. Price*	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified		21, No. of Pages	22. 1110	

# SIMULATION STUDIES FOR SURFACES AND MATERIALS STRENGTH

## **Final Technical Report**

for the period

May 1, 1984 - January 31, 1994

**Cooperative Agreement NCC2-297** 

Submitted to

National Aeronautics and Space Administration Ames Research Center Moffett Field, California 94035

Computational Chemistry Branch Dr. Stephen R. Langhoff, Chief and Technical Officer

Thermosciences Division Dr. James O. Arnold, Chief

Prepared by

ELORET INSTITUTE 3788 Fabian Way Palo Alto, CA 94303 Phone: 415 493-4764 Fax: 415 424-9876

Dr. K. Heinemann, President and Grant Administrator Dr. Timur Halicioglu, Principal Investigator Dr. Grant D. Smith, Co-Principal Investigator

7 March, 1994

#### Abstract

In this project computer simulation studies have been conducted to investigate materials properties. All the calculations have been carried out using atomic level simulation techniques which are based on semiempirical or model functions. During this project, functions with varying degrees of complexity have been derived and employed in simulations. Investigations include covalently bonded materials as well as systems involving metal atoms.

For small clusters calculated results provided information on various energy- and structure-related properties along with vibrational characteristics. Also, energy barriers for configurational transitions have been calculated for selected cases. Simulation calculations for surfaces produced new results in areas related to surface energies, reconstructions and relaxations, surface defects, surface stresses as well as adsorption and nucleation processes. Simulations have also been performed on bulk materials. Calculated results provided an atomic level understanding on energetics and structures of point defects, crystal stability, elastic properties and materials strength for various systems. Calculations involving polymeric materials include studies of polar polymer melts and polymer/solid interfaces. Simulations employing specially developed codes provided significant information about energetics and conformational characteristics of different polymeric chains.

This report covers simulation studies carried out to investigate various materials properties. All the investigations were conducted using atomic level simulation techniques based on parameterized semiempirical or model potential energy functions to describe atomic interactions.

During the course of this project, computer codes have been developed to implement various simulation methods such as static, molecular dynamics and Monte-Carlo. A new approach based on a Laplace-transform technique has been developed and used to derive thermodynamic expressions for Si systems (as averages of the appropriate microscopic dynamical functions) in molecular dynamics simulation studies [3]. Also, a number of potential energy functions have been developed and used to simulate a wide range of systems. In most cases, potential functions included two- and three-body terms to take into account many-body interactions. Parameters for model functions have been calculated based on experimental data on bulk and gas phase properties for systems containing C and Si [2,35] and Ga, As and AlAs species [37,38]. For systems with Al, Be and Cu atoms, high level ab initio results have been employed in the parameterization [18,20]. It has been shown that the choice of potential functions describing the system under consideration is an important issue in its transferability [33]. Several comparative investigations have been carried out to analyze applicability and limitations of potential functions for Si [27,40,41,42,47,50]

For small clusters calculations provided detailed structural, vibrational and energetics information [10,14], For metal clusters (such as Be Al and Cu), simulations based on model potentials provided results consistent with high level calculations [18,20]. Properties of small clusters have been reviewed and critically analyzed during this time [28,29]. Simulations produced reaction paths for configurational transformation of Al clusters [31,34]. For smaller and medium size clusters of carbon the validity of model functions has been demonstrated [40,41,42,50].

Simulation calculations for surfaces produced new results in areas related to surface energies, reconstructions and relaxations, surface defects, surface stresses as well as adsorption and nucleation processes. In this project three-body interactions have been used in simulation calculations for surfaces of Si systems for the first time. Calculated results revealed a wealth of atomic level information on surface relaxation and reconstruction [5,6,19], stress distribution [13], formation of kinks and ledges and their interactions [15,16,24], diffusion and interaction of adatoms with ledges [17], amorphous film formation [23,25], defect induced reconstruction [32] and binding sites for C atoms [52]. For systems involving C and Si atoms simulation calculations provided new results on the reconstruction of surfaces for diamond and  $\beta$ -SiC [4], and diffusion probabilities for C, Si and SiC species [6]. For systems with Ga, Al, As and Au atoms, simulations produced a better understanding about structural properties for surfaces and multilayer interfaces [7, 21,36], the role of the surface stress tensors on the reconstruction, nucleation and growth [22,43], adsorption [30] and cluster formation processes [26,45]. For surfaces of systems containing C atoms (i.e., for the low index planes of diamond), simulation calculations produced new results for surface energies, ledge energies, reconstruction and multilayer relaxations [39,44,51], formation of defects and growth processes [46,49].

For bulk systems simulations produced new results on crystal stabilities and elastic constants [5,8], the effect of pressure and temperature on phase transitions [9] and stability diagrams for crystalline phases [11], and structures of point defects [48]. Parametric studies have been conducted to analyze responses of materials to external forces to gain an atomic level understanding of materials strength. In these calculations, statics and molecular dynamics techniques have been employed to investigate slip and crack formation processes [1,12].

In general, computation of strictly thermal quantities for materials presents a challenge. Whereas the usual simulation methods allow the estimation of mechan-

ical properties such as energy, enthalpy and volume, they do not provide direct access to free energy. For low temperature applications enthalpy (or energy) values could be satisfactory for explaining various processes. At elevated temperatures, however, entropy contributions are not negligible. Therefore, simulations of thermodynamic quantities for systems at higher temperatures must provide free energy values. In our recent investigation [64] the cumulant expansion and the thermodynamic integration techniques, along with others, have been considered for electrically neutral point defect free energies of formation and migration in Si. The thermodynamic integration method was found to be best. Free energies, enthalpies and entropies of both formation and migration were evaluated as a function of temperature using available Si potential energy functions for a variety of different types of point defects. Equilibrium point defect population and diffusion coefficients have been evaluated as a function of temperature. Near the silicon melting temperature, the Frenkel defect formation process was simulated and no activation barrier has been found for point defect recombination.

Investigations for polymeric materials have been conducted employing molecular dynamics procedures based on parameterized force field models. In all cases, parameters were obtained from ab initio electronic calculations for energetics and structures of prototype molecules. In these studies the validity of the simulations for molecular configurations has been demonstrated by comparing the calculated results with experimental data. Calculations for polyethylene, the polymer/solid surface and the melt systems reproduced local dynamics consistent with experiments [55,57].

Simulation calculations for polymers and related model molecules provided significant new information about the conformational characteristics for atactic poly(vinyl chloride) melts [53], 2,4-dichloropentane and 2,4,6-trichloroheptane [54], 1,2-dimethoxyethane [59,62], as well as for polymer melts between parallel surfaces [58], poly(oxymethylene) [61,62] and poly(tetrafluoroethylene) chains

[63]. Also, equilibrium and dynamic properties of polymethylene melts confined between solid surfaces have been simulated to understand the influence of surface and interfacial properties [56,57]. Calculations based on a third-order rotational isomeric state model for poly(oxyethylene) resulted in significant insight into the conformational characteristics of poly(oxyethylene) [60].

#### References

- 1. T. Halicioglu and D.M. Cooper, "An atomistic model of slip formation", MATERIALS SCIENCE AND ENGINEERING, 62, 121 (1984).
- 2. T. Takai, T. Halicioglu and W.A. Tiller, "Calculation of potential energy parameters for the silicon-carbon system", *PHYSICA STATUS SOLIDI B*, 130, 475 (1985).
- 3. E. M. Pearson, T. Halicioglu and W.A. Tiller, "Laplace-transform technique for deriving thermodynamic equations from the classical microcanonical ensemble", PHYSICAL REVIEW A, 32, 3030 (1985).
- T. Takai, T. Halicioglu and W.A. Tiller, "Reconstruction and energetics for surfaces of silicon diamond and β-SiC", SURFACE SCIENCE, 164, 341 (1985).
- T. Takai, T. Halicioglu and W.A. Tiller, "A parametric study of crystal stability and surface energy for diamond cubic structures", PHYSICA STATUS SOLIDI B, 130, 131 (1985).
- 6. T. Takai, T. Halicioglu and W.A. Tiller, "Adsorption, potential maps and diffusion of Si, C and SiC on a Si(111) surface", SURFACE SCIENCE, 164, 327 (1985).
- T. Halicioglu, T. Takai and W.A. Tiller, "The structure and surface energy of Au(110) studied by Monte-Carlo method", in THE STRUCTURE OF SURFACES. Editors: Van Hove, M.A. and Tong, S.Y. (Springer-Verlag, 1985) p. 231-236.
- 8. T. Takai, T. Halicioglu and W.A. Tiller, "Absolute crystal stability and elastic constants for cubic structures", SCRIPTA METALLURGICA, 19, 715 (1985).
- 9. T. Takai, T. Halicioglu and W.A. Tiller, "Predictions for the pressure and temperature phase transitions of silicon using a semiempirical potential", SCRIPTA METALLURGICA, 19, 709 (1985).
- 10. T. Halicioglu, T. Takai and W.A. Tiller, "The effect of three-body forces on the vibrational frequencies of triatomic clusters", SURFACE SCIENCE, 156, 556 (1985).
- 11. S. Erkoc, T. Halicioglu and H.O. Pamuk, "Stability diagrams for simple crystals", MATERIALS CHEMISTRY AND PHYSICS, 14, 299 (1986).

- 12. T. Halicioglu and D.M. Cooper, "A computer simulation of the crack propagation process", MATERIALS SCIENCE AND ENGINEERING, 79, 157 (1986).
- 13. E. Pearson, T. Halicioglu and W.A. Tiller, "The effect of surface stress on the reconstruction of the Si(111) surface", SURFACE SCIENCE, 168, 46 (1986).
- S. Erkoc, T. Halicioglu and O. Pamuk, "A parametrical investigation for the structure of small clusters", SURFACE SCIENCE LETTERS, 169, L273 (1986).
- E. M. Pearson, T. Halicioglu and W.A. Tiller, "Kink-site formation energies on the Si(111) surface using a semiempirical potential energy function", JOURNAL OF CRYSTAL GROWTH, 83, 502 (1987).
- 16. E. M. Pearson, T. Halicioglu and W.A. Tiller, "Long-range ledge-ledge interactions on Si(111) surfaces", SURFACE SCIENCE, 184, 401 (1987)
- 17. E. M. Pearson, T. Halicioglu and W.A. Tiller, "Adatom diffusion and adatom-ledge interaction on the Si(111) surface using a semiempirical potential energy function", JOURNAL OF CRYSTAL GROWTH, 83, 499 (1987).
- 18. C.W. Bauschlicher, S. R. Langhoff, H. Partridge, T. Halicioglu and P. R. Taylor, "Theoretical approaches to metal chemistry", ACS SYMPO-SIUM SERIES (SUPER COMPUTER RESEARCH IN CHEMISTRY AND CHEMICAL ENGINEERING). Editors: Jensen, K.F. and Truhlar, D.G. (American Chemical Society, Washingtom, DC 1987) vol.353, Chapter 2, p. 16-34.
- E. M. Pearson, T. Halicioglu and W.A. Tiller, "Si(111) cleavage and the (2×1) reconstruction process", JOURNAL OF VACUUM SCIENCE & TECHNOLOGY A, 5, 293 (1987).
- L.G.M. Pettersson, C.W. Bauschlicher and T. Halicioglu, "Small Al clusters. II. Structure and binding in Al<sub>n</sub> (n=2-6,13)", JOURNAL OF CHEMICAL PHYSICS, 87, 2205 (1987).
- 21. D.K. Choi, T. Takai. S. Erkoc, T. Halicioglu and W.A. Tiller, "Free surfaces and multilayer interfaces in the GaAs/AlAs system", JOURNAL OF CRYSTAL GROWTH, 85, 9 (1987).
- 22. D.K. Choi, T. Halicioglu and W.A. Tiller, "Surface stress tensor mediation of the ledge nucleation/growth process with the surface reconstruction pro-

- cess in GaAs", MATERIALS RESEARCH SOC. SYMP. PROC., 94, 91 (1987).
- 23. S. Erkoc, T. Halicioglu and W.A. Tiller, "A structural analysis of thin amorphous silicon films", MATERIALS RESEARCH SOC. SYMP. PROC., 95, 177 (1987).
- 24. H. Balamane T. Halicioglu and W.A. Tiller, "Computer simulation of ledge formation and ledge interaction for the silicon (111) free surface", JOUR-NAL OF CRYSTAL GROWTH, 85, 16 (1987).
- 25. S. Erkoc, T. Halicioglu and W.A. Tiller, "Computer simulation of thin amorphous Si films on crystalline Si substrates", JOURNAL OF NON-CRYSTALLINE SOLIDS, 94, 28 (1987).
- 26. D.K. Choi, S.M. Koch, T. Takai, T. Halicioglu and W.A. Tiller, "Simulation of GaAs cluster formation on GaAs(001), AlAs(001), Si(001), and As<sub>1</sub>/Si(001) surfaces", JOURNAL OF VACUUM SCIENCE & TECHNOLOGY B (MICROELECTRONICS PROCESSING AND PHENOMENA), 6, 1140 (1988).
- 27. T. Halicioglu, H.O. Pamuk and S. Erkoc, "Interatomic potentials with multi-body interactions", PHYSICA STATUS SOLIDI B, 149, 81 (1988).
- 28. T. Halicioglu and C.W. Bauschlicher, "Physics of microclusters", RE-PORTS ON PROGRESS IN PHYSICS, 51, 883 (1988).
- 29. T. Halicioglu, "Fluxional nature of gas-phase clusters", SURFACE SCI-ENCE, 197, L233 (1988).
- 30. S. Erkoc, T. Halicioglu and W.A. Tiller, "Adsorption of gold adatoms on the GaAs(110) surface: a molecular-dynamics simulation", *PHYSICA STATUS SOLIDI B*, **156**, K105 (1989).
- 31. T. Halicioglu, "Energy barriers and structural transitions of small Al clusters", ZEITSCHRIFT FUR PHYSIK D (ATOMS, MOLECULES AND CLUSTERS), 12, 73 (1989).
- 32. H. Balamane T. Halicioglu and W.A. Tiller, "Vacancy- and adatom-induced  $\sqrt{3} \times \sqrt{3}$  reconstructions of the Si(111) surface", PHYSICAL RE-VIEW B (CONDENSED MATTER), 40, 9999 (1989).
- T. Halicioglu, H.O. Pamuk, S. Erkoc and W.A. Tiller, "The effect of a potential function range on surface properties", PHYSICA STATUS SOLIDI B, 156, K113 (1989).

- 34. T. Halicioglu and H.O. Pamuk, "Isomers and saddle point configurations of small Al clusters", SURFACE SCIENCE, 215, 272 (1989).
- 35. T. Takai, C. Lee, T. Halicioglu and W.A. Tiller, "A model potential function for carbon systems: clusters", *JOURNAL OF PHYSICAL CHEMISTRY*, 94, 4480 (1990).
- 36. S. Erkoc, T. Halicioglu and W.A. Tiller, "Simulation calculations on energetics and reconstruction patterns for the GaAs(100) surface", *PHYSICA STATUS SOLIDI B*, 157, K23 (1990).
- 37. T. Takai, D.K. Choi, Y.T. Thathachari, T. Halicioglu and W.A. Tiller, "A potential energy function for GaAs systems", *PHYSICA STATUS SOLIDI B*, 157, K13 (1990).
- 38. T. Takai, T. Halicioglu and W.A. Tiller, "A model potential energy function for systems containing Al, Ga, and As Atoms", *PHYSICA STATUS SOLIDI B*, 157, K77 (1990).
- 39. T. Halicioglu, "Calculation of surface energies for low index planes of diamond", SURFACE SCIENCE, 259, L714 (1991).
- 40. T. Halicioglu, "Model functions for carbon in calculating properties of small clusters", CHEMICAL PHYSICS LETTERS, 185, 136 (1991)
- 41. T. Halicioglu, "Structural properties of 3-dimensional carbon clusters", ZEITSCHRIFT FUR PHYSIK D (ATOMS, MOLECULES AND CLUSTERS), 19, 443 (1991).
- 42. T. Halicioglu, "Reproducibility of various properties of small carbon clusters using model potential functions", CHEMICAL PHYSICS LETTERS, 179, 159 (1991).
- 43. T. Halicioglu and W.A. Tiller, "A modeling study on the early stages of GaAs deposition on the GaAs(100) surface", JOURNAL OF VACUUM SCIENCE & TECHNOLOGY A (VACUUM, SURFACES, AND FILMS), 9, 274 (1991). [with Tiller]
- 44. T. Halicioglu, "(2×1) reconstructed patterns of diamond (100) surface", DIAMOND AND RELATED MATERIALS, 1, 963 (1992).
- 45. S. Erkoc, T. Halicioglu and W.A. Tiller, "Simulation calculations for gold clusters on the GaAs(110) surface", SURFACE SCIENCE, 274, 359 (1992).

- 46. T. Halicioglu, "Modeling for early stages of diamond growth", DIAMOND AND RELATED MATERIALS, 1, 765 (1992).
- 47. H. Balamane T. Halicioglu and W.A. Tiller, "Comparative study of silicon empirical interatomic potentials", PHYSICAL REVIEW B (CONDENSED MATTER), 46, 2250 (1992).
- 48. P. J. Ungar, T. Takai T. Halicioglu and W.A. Tiller, "Point defect structures and energetics in Si using an empirical potential", JOURNAL OF VACUUM SCIENCE & TECHNOLOGY A, 11, 224 (1993).
- 49. T. Halicioglu, "Calculations for defects formed on diamond surfaces", THIN SOLID FILMS, 228, 293 (1993).
- 50. S. Katircioglu, S. Erkoc and T. Halicioglu, "Electronic energy calculation of C<sub>60</sub> cluster", MATERIALS CHEMISTRY AND PHYSICS, 34, 78 (1993).
- H. Shiomi and T. Halicioglu, "Calculations for ledge energies on the diamond (111) surface", SURFACE SCIENCE, 295, 154 (1993).
- 52. T. Halicioglu, "Carbon atoms on the  $(2\times1)$  reconstructed Si(100) surface", SURFACE SCIENCE, 285, 259 (1993).
- 53. G.D. Smith, R.L. Jaffe and D.Y. Yoon, "Conformations and Order in Atactic Poly(vinyl chloride) Melts from Molecular Dynamics Simulations", MACROMOLECULES, 26, 298 (1993).
- 54. P.J. Ludovice, G.D. Smith, R.L. Jaffe and D.Y. Yoon, "Conformations of 2,4-dichloropentane and 2,4,6-trichloroheptane from ab Initio Electronic Structure Calculations", to be submitted to the JOURNAL OF COMPUTATIONAL CHEMISTRY.
- 55. D.Y. Yoon, G.D. Smith and T. Matsuda, "A Comparison of a United Atom an An Explicit Atom Model in Simulations of Polymethylene", *JOURNAL OF CHEMICAL PHYSICS*, 98, 10037 (1993).
- 56. G.D. Smith and D.Y. Yoon, "Equilibrium and Dynamic Properties of Polymethylene Melts from Molecular Dynamics Simulations. I. n-tridecane", JOURNAL OF CHEMICAL PHYSICS, in press.
- 57. T. Matsuda, G.D. Smith, D.Y. Yoon and R.G. Winkler, "Stochastic Dynamics Simulations of Polymethylene Melts Confined Between Solid Surfaces: Influence of Surface Properties,", submitted to MACRO-MOLECULES.

- 58. G.D. Smith, D.Y. Yoon and R.L. Jaffe, "Conformations of Polymer Melts between Parallel Surfaces: Comparison of the Scheutjens-Fleer Theory with Monte Carlo Simulations", MACROMOLECULES, 25, 7011 (1992).
- 59. R.L. Jaffe, G.D. Smith and D.Y. Yoon, "Conformations of 1,2-dimethoxyethane from ab Initio Electronic Structure Calculations", JOURNAL OF PHYSICAL CHEMISTRY, in press.
- 60. G.D. Smith, D.Y. Yoon and R.L. Jaffe, "A Third-Order Rotational Isomeric State Model for Poly(oxyethylene) Based upon ab Initio Electronic Structure Analyses of Model Molecules", MACROMOLECULES, 26, 5213 (1993).
- 61. G.D. Smith, R.L. Jaffe and D.Y. Yoon, "Conformational Characteristics of Poly(oxymethylene) Based upon ab Initio Electronic Structure Calculations", to be submitted to MACROMOLECULES.
- 62. G.D. Smith, R.L. Jaffe and D.Y. Yoon, "A Force Field for Simulations of 1,2-Dimethoxyethane and Poly(oxyethylene) Based upon ab Initio Electronic Structure Calculations on Model Molecules", JOURNAL OF PHYSICAL CHEMISTRY, in press.
- 63. G.D. Smith, R.L. Jaffe and D.Y. Yoon, "Conformational Characteristics of Poly(tetrafluoroethylene) Chains Based upon ab Initio Electronic Structure Calculations", submitted to MACROMOLECULES.
- 64. P.J. Ungar, T. Halicioglu and W.A. Tiller, "Free energies, structures and diffusion of point defects in Si using an empirical potential", submitted to PHYSICAL REVIEW B.